MUSEUM Storage Solutions



Table of Contents

Specialty Museum Storage Products:

Entomology storage cabinets to accommodate Cornell, USNM, Smithsonian or California Style drawrs (E-Series)____**Pages 20-21**

Herbarium storage (H-Series)	Pages 22-24
Specimen Tanks & Curatorial Carts	Page 25
Art Racks	Page 26
Costume & Textile storage	Page 27
Art & Till storage systems	Pages 27& 31
Flat File, Artwork, Negative storage (FFS Series, 5 drawer units)	Pages 28-29
Heavy Duty Flat File storage units (F-Series, 4 & 6 drawer units)	Page 30
Nitrates	Page 31
Art, Historical, Natural storage cabinets	Pages 32-41
Additional Borroughs storage products	Pages 8-9
Convenience & Design features	Pages 16–19
Aisle–Saver® Mobile Systems	Pages 10-11
Color Information	Page 43























What you don't see is priceless...

The heart of any cultural institution or museum is its collection. On average, 90% of a collection is in storage. Protecting it from temperature, humidity, light and other disasters... including pests, is the job of Borroughs museum storage products.

Museum storage and the Borroughs big picture...

Fixed or Movable, Conventional or Compact; Unlimited Applications, Unlimited Possibilities; One Supplier, One Solution.



Borroughs the best kept secret.

Did you know that we have all of these products plus more ... under one roof ?

While Borroughs has specific products for specific applications, it also has a wide variety of products that can be used across various platforms.

Standard or custom-built, Borroughs storage solutions accommodate virtually any need. Designed and manufactured in our ISO 9001:2000 certified facility, we stand behind all products with a 5-year warranty.

Archival Record Storage



Modular Drawer Systems



Multi-Tier Warehousing Systems



Box Edge Plus® Heavy-Duty Shelving



Storage Cabinets



Bookcases and Library Shelving



Work Stations and Benches



Aisle-Saver® Mobile Systems



Make it mobile....

Aisle-Saver® provides high-density storage and retrieval solutions to store practically anything, including: paper or electronic media, three-dimensional objects, fine art and much more.

> Designed to be used with a wide variety of shelving and cabinets, Aisle-Saver can reduce the space required for storage by as much as 50%.

4isle

Storage units are mounted on movable carriages, which ride on a leveled rail system. The movement can be electronic, manual or mechanical assist. When the carriage is moved, an aisle is created to allow access to stored items.

The units glide smoothly over the leveled rails, eliminating jarring and vibration.

save space with

Saver

SYNergy Series™

The electronic Aisle-Saver® Synergy system offers additional benefits. Solid-state electronics and fewer moving parts increase system reliability. Maximum programming flexibility allows users to easily customize for security and safety.

R

Many of the world's finest institutions have entrusted Borroughs to help preserve their valuable artifacts.

Penn Museum Canadian Museum of Nature Carneigie Museum of Natural History Field Museum of Natural History Hartwick College Minneapolis Institute of Arts Missouri Historical Society National Postal Museum Price Tower Arts Center Inc. **Royal Ontario Museum** SER-Everglades National Park State University College SUNY at Albany SUNY College at Oneonta University of Michigan The Whalehead Club

Benton County Historical Society Museum of Modern Art Glencarin Museum Chicago Field Museum Philadelphia Museum of Art Hofstra University Kentucky Gateway Museum Center Youngstown State White Sands Missile Range Dallas Museum of Art Smithsonian University of Puerto Rico University of Georgia US Army/WSMR California Academy of Sciences

storage Solutions

















Designed to meet federal, state and commercial requirements.

Schedule Contract #GS-27F-0045N*

All products shown are available under GSA Federal Supply Schedule. *Effective Through 6/8/10.

Everything matches. Everything fits. Everything works.

A Green Effect

The protection, conservation, and reduction in the use of natural resources are important goals for Borroughs Corporation. Because the impact on the environment is important, Borroughs Corporation has undergone many changes to continually improve the way business is done.

- Powder coat paint system implemented using no volatile organic compounds (VOC's).
- Universal waste including; but not limited to batteries, fluorescent lights, and computer monitor recycling.
- Packaging materials are recycled.
- All Federal, State and Local environmental regulations are met.
- City environmental compliance awards received twice within past five years.
- Estimated potential annual energy savings from recyling of steel equates to over 64,000 gallons of gasoline or more than 1,000,000 kilowatts of electricity. This is enough electrical power to supply over 100 average size houses annually.
- Implementing an effective envionmental management system that meets ISO 14001:2004 standards.
- Implementing SVE and AS monitoring systems to improve the aquifer.



All of these actions help reduce harmful effects on the environment and show our commitment placed on conservation of planet resources for generations to come.

A Growing Need

When the Field Museum decided to upgrade its herbarium storage, they talked to several potential cabinet suppliers. "We wanted to move to a mobile storage system," says Christine Niezgoda, the Botany Department Collections Manager. "Our existing cabinets were free-standing units that could not be placed on mobile carriages". After reviewing the offerings from the various cabinet suppliers, the museum replaced their old cabinets with Borroughs cabinets. "All herbarium cabinets have basically the same design," says Ms. Niezgoda. "It's the details in the fabrication and components that make the difference."

"Borroughs offered the quality, protection and functionality we wanted."



Exclusive Design Features

100% Closed Cell Silicone Gaskets



Mechanically held in place, they provide an airtight storage environment that minimizes exposure to dust, insects and other contaminants.

90 Degree Lift-Off Pin Hinge



Doors open a full 180 degrees and lift off easily for curatorial convenience. No tools are required.

3"x 5" zinc plated steel

card holder makes

identification easy.

Standard Features

Label Holder

Full Overhang Top

To ensure watertight protection from unexpected hazards, cabinets are designed with a full overhang top.

Ergonomic Recessed Handles

Easy to grasp and open. Key lockable. Designed to be ergonomically correct. Because they are recessed, the doors lay flat when open and accommodate complete aisle closure in high-density mobile storage applications.

Three Point Latching System

The system ensures maximum security and a tight seal by requiring a single handle turn, which engages the door at three points.

Heavy-Duty Reinforced Steel Construction

High quality steel provides the extra strength and rigidity necessary to withstand the heaviest of loads.

Powder Coat Paint



This non-gassing baked finish ensures that collections are safe for long-term storage.

Four Levelers Adjustable From Inside



Allows easy leveling of cabinet. Four inside leveling screws for easy adjustment. No special tools required, adjustable with a standard socket wrench.

Additional Museu

Adjustable Shelf



Using slotted uprights, the "bayonet" universal mountings snap into place and can be adjusted for flexibility. Equally impressive, the shelves hold excessive weight loads.

Castor Base



Heavy-duty frame construction with casters to allow easy ability to move cabinets.

Slide-Out Tray



On fixed runners, the trays slide out easily for specimen access.

Rolled Textile Storage



Available in drawermounted, cabinet or rack styles.

Visual Doors



Full-view safety glass for easy viewing of objects in storage.



Full-Suspension Ball-Bearing Slides

Roll-out drawers provide full extension and hold up to 500 lbs. on select models.

m Storage Options

Long Arm Storage



Storage for all varieties of longer collections (weapons, arms, spears) cushioned cut-outs for long lasting conservation for every collection.

Pull-Out Work Shelf



Pull-out workshelf for curatorial convenience. A pull-out work shelf helps to sort through objects without taking them to another area.

Textile Rod



Adjustable textile rod for hanging garments.

Flip-Down Drawer Front This



This feature is wonderful for oversized cabinets. Helps to eliminate the lifting of heavier items out of a drawer but offers the security of additional protection from the front.

Open Front Full-Extension Drawer



Convenient and easy removal of objects out of a drawer without lifting or damaging.

Vents



Vents with closure for additional air-flow to the collection.

Entomology Cabinets

model E10



- Lift-off reinforced doors
- Three-point latching system
- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Plated hardware
- Sealed, waterproof top
- Four levelers adjustable from inside
- Choose from 8 standard colors; custom colors available
- Slotted uprights to match runner configuration
- One 3"x 5" label holder per door
- Protective drawer bumper stop

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 11)	E10-CO	23″	21″	42 ^{1/2"}	210 lbs.
Cornell Style Drawer		19″	16 ^{1/2"}	3″	
USNM Style Cabinet (Capacity 11)	E10-US	23″	21″	42 ^{1/2} "	210 lbs.
USNM Style Drawer		18″	18″	2 ^{7/8″}	
Smithsonian Style Cabinet (Capacity 13)	E10-SM	23″	21″	42 ^{1/2} "	210 lbs.
Smithsonian Style Drawer		18″	17 ^{7/8″}	2 ^{9/16″}	
California Style Cabinet (Capacity 13)	E10-CA	23″	21″	42 ^{1/2} "	210 lbs.
California Style Drawer		19″	17″	2 ^{1/2″}	

Cabinets do not include the drawers; sold seperately



model E40



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 24)	E40-CO	23″	21″	84″	270 lbs.
Cornell Style Drawer		19″	16 ^{1/2″}	3″	
USNM Style Cabinet (Capacity 24)	E40-US	23″	21″	84″	270 lbs.
USNM Style Drawer		18″	18″	2 ^{7/8″}	
Smithsonian Style Cabinet (Capacity 28)	E40-SM	23″	21″	84″	270 lbs.
Smithsonian Style Drawer		18″	17 ^{7/8″}	2 ^{9/16″}	
California Style Cabinet (Capacity 28)	E40-CA	23″	21″	84″	270 lbs.
California Style Drawer		19″	17″	2 ^{1/2} "	
OPTIONS					
Pull-out shelf for Cornell and California	EPOS-Coca	19″	18″	2″	25 lbs.
Pull-out shelf for USMN and Smithsonian	EPOS-Ussm	18″	18″	2″	25 lbs.

model E60

75						
DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT	
Cornell Style Cabinet (Capacity 48)	E60-CO	44″	21″	84″	470 lbs.	7
Cornell Style Drawer		19″	16 ^{1/2"}	3″		
USNM Style Cabinet (Capacity 48)	E60-US	44″	21″	84″	470 lbs.	

Cornell Style Drawer		19″	16 ^{1/2"}	3″	
USNM Style Cabinet (Capacity 48)	E60-US	44″	21″	84″	470 lbs.
USNM Style Drawer		18″	18″	2 ^{7/8″}	
Smithsonian Style Cabinet (Capacity 56)	E60-SM	44″	21″	84″	470 lbs.
Smithsonian Style Drawer		18″	17 ^{7/8″}	2 ^{9/16″}	
California Style Cabinet (Capacity 56)	E60-CA	44″	21″	84″	470 lbs.
California Style Drawer		19″	17″	2 ^{1/2} "	
OPTIONS					
Pull-out shelf for Cornell and California	EPOS-Coca	19″	18″	2″	25 lbs.
Pull-out shelf for USMN and Smithsonian	EPOS-Ussm	18″	18″	2″	25 lbs.

Herbarium Storage Cabinets

model H10

Includes 12 compartments (each 12^{1/2"} x 17^{3/4"} x 5^{13/16"})

H-Series Standard Features

- Lift-off reinforced doors, each door seals and operates independently
- Three-point latching system
- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Plated hardware
- Sealed, waterproof top
- Four levelers adjustable from inside
- Choose from 8 standard colors; custom colors available
- Space in front and rear of shelf allows for air flow
- One 3"x 5" label holder per door

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H10 Cabinet	H10	28 5/16"	19 ^{1/2"}	42 ^{1/2"}	170 lbs.
OPTIONS					WEIGHT
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.

model H20



Includes 24 compartments (each 12^{1/2"} x 17^{3/4"} x 5^{13/16"})

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H20 Cabinet	H20	55 ^{3/32"}	19 ^{1/2"}	42 ^{1/2″}	291 lbs.
OPTIONS					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.

model H40



Includes 26 compartments (each $12^{1/2"} \times 17^{3/4"} \times 5^{13/16"}$)

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H40 Cabinet with right hand swing door	H40-RH	28 ^{5/16} "	19 ^{1/2} "	84″	305 lbs.
H40 Cabinet with (1) work shelf installed	H40-RH1WS	28 ^{5/16} "	19 ^{1/2} "	84″	315 lbs.
H40 Cabinet with left hand swing door	H40-LH	28 ^{5/16} "	19 ^{1/2} "	84″	305 lbs.
H40 Cabinet with (1) work shelf installed	H40-LH1WS	28 ^{5/16} "	19 ^{1/2} "	84″	315 lbs.
OPTIONS					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Sanitary Pallet Base	H40RSPB	28 ^{5/16} "	19 ^{1/2} "	4 ^{1/2} ″	25 lbs.

model H60



Includes 52 compartments (each 12^{1/2"} x 17^{3/4"} x 5^{13/16"})



Option for work shelves

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H60 Cabinet	H60	55 ^{3/32} "	19 ^{1/2} "	84″	560 lbs.
H60 Cabinet with 2 workshelves	H60-2WS	55 ^{3/32} "	19 ^{1/2} "	84″	580 lbs.
OPTIONS					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Sanitary Pallet Base	H60RSPB	55 ^{3/32} "	19 ^{1/2} "	4 ^{1/2} ″	32 lbs.

model M40DRY



- Adjustable control heater 5120/2560 BTUH 1500/750 watts-120 volts 12.5/6.2 Amps AC
- Overheat protection and thermal protectors
- Heater element "ON" indicator/fan "ON" indicator
- Auto reset
- Temperature indicator degree high-130
 plus; relative to content density
- Four perforated air vents-2 intakes and 2 exhausts; Upward air movement

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M40DRY cabinet with 5 perforated shelves	M40DRY	29″	32″	84″	375 lbs.
adjustable in height one-inch centers					
OPTIONS					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.

Carts

Transfer Cart



The transfer cart is designed to help move the collection from one building to the next or interchanging within the collection area. Two-sided herbarium carts for the curatorial convenience of moving your collections with ease.

Utility Cart



Herbarium Cart



A specially designed work cart for curatorial convenience and assistance. Top can be inverted (as shown) or tray style like bottom shelf.

Fluid Collections Tank



Glass Bead finish available

Available dimesions: Height to 36" Width to 36" Length to 60"

Custom-Size Tanks for Fluid Collections—Stainless Steel

- Tanks are made of premium 316L stainless steel construction
- All inside tank seams are liquid tight continuous TIG welded
- The tanks outer edge is reinforced to provide added strength and latch mounting.
- Stainless steel fold down handles. Four on the tank and two on the lid for easy handling.
- Six stainless steel draw latches and hard ware. Designed to be easily replaced if necessary.
- Designed with a double closed-cell Nitrile Sponge Rubber Gasket System.
- One gasket on the lid and one gasket on the tank for a better seal and added protection against the environment
- Lid has a splash shield to reduce liquids from splashing onto the gasket material and floor.
- 3 x 5 stainless steel card holder for easy identification
- All tanks are tested liquid tight.

Art Racks (AR)

Vertical Storage Systems for Paintings/Textiles/Long Artifacts



Standard Features

- Expanded aluminum frame construction provides high strength to weight ratio
- Panel weight is 1.3 lbs./sq. ft., will support 10 lbs./sq. ft.
- Material is 6063 T52 Aluminum Alloy
- Anodized aluminum or baked powder finish; non-reactive, non-off gassing
- Modular building-block design allows for virtually any size
- Roll-formed, plated track is constructed of 11 to 12 gauge steel, depending upon load requirements
- Objects are secured with hooks or special attachments
- Stainless steel hooks support up to 150 lbs. each
- All-steel trolley system with permanently lubricated ball bearings
- Trolley mounted vibration damper isolates the trolley from the frame
- Choose from 8 standard colors; custom colors available

DESCRIPTION	PART NO.	SYSTEM TYPE	-
Tracks and supporting hardware are anchored or	ARCL	Ceiling Load Support	
attached to the ceiling above			fffff
Tracks and supporting hardware are supported by	ARFT	Floor Support (tracks and supporting hardware)	00W
I-beams and columns			1700
Limited to frame depths up to 5ft. Slides are attached	ARTS	Telescoping Support	âЩ
to an open tube frame or inside of cabinet tops			
Frames are supported from the bottom and roll on wheels	ARFW	Floor Load (wheels)	WW.
Grooved rollers support and guide on metal rails	ARFR	Floor Load System (rail)	

Clothing and Textile Storage-Custom



Till Storage-Custom



Optional Tambour Door



Counter Height Till Cabinet



Storage for Artwork, Negatives, Flats, Sheets, and Prints

WORKROOM

Standard Features

- Heavy duty reinforced steel construction
- Baked powder coat finish, non offgassing, non-reactive, solvent free
- Sealed, waterproof top
- Plated hardware
- One 2" x 4" label holder per door
- Two pulls per drawer
- 3/4 extension, Roller Bearing Suspension (200 lbs. capacity)
- Five drawers per unit

12-20

100

10

46

Balan

150

1. 2

- Designed to stack
- Choose from 8 standard colors; custom colors available

1000

T

miles

6.20

in the

15 -

1

100

5

127

18

æ

1

100

model FFS





DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
35 X 30 CABINET WITH 5 DRAWERS INSTALLED	FFS-353018	35 ^{1/8} ″	30″	18″	190 lbs.
Drawer Dimensions		30 ^{23/32} "	26 ^{1/2"}	2″	
BASE FOR 35 X 30	MAB-353007	35 ^{1/8} ″	27″	7″	32 lbs.
42 X 30 CABINET WITH 5 DRAWERS INSTALLED	FFS-423018	42 ^{1/8} "	30″	18″	210 lbs.
Drawer Dimensions		37 ^{23/32} "	26 ^{1/2"}	2″	
BASE FOR 42 X 30	MAB-423007	42 ^{1/8} "	27″	18″	38 lbs.
48 X 37 CABINET WITH 5 DRAWERS INSTALLED	FFS-483718	48 ^{1/8} "	37″	19″	290 lbs.
Drawer Dimensions		43 ^{23/32} "	33 ^{1/2″}	2″	
BASE FOR 48 X 37	MAB-483707	48 ^{1/8} "	34″	7″	48 lbs.
55 X 43 CABINET WITH 5 DRAWERS INSTALLED	FFS-554318	55 ^{1/8} ″	43″	18″	390 lbs.
Drawer Dimensions		50 ^{23/32} "	39 ^{1/2″}	2″	
BASE FOR 55 X 43	MAB-554307	55 ^{1/8} ″	40″	7″	58 lbs.
59 X 47 CABINET WITH 5 DRAWERS INSTALLED	FFS-594718	59 ^{1/8} "	47″	18″	450 lbs.
Drawer Dimensions		54 ^{23/32"}	43 ^{1/2″}	2″	
BASE FOR 59 X 47	MAB-594707	59 ^{1/8} "	44″	7″	68 lbs.
69 X 55 CABINET WITH 5 DRAWERS INSTALLED	FFS-695518	69 ^{1/8} "	55″	18″	575 lbs.
Drawer Dimensions		64 ^{23/32} "	51 ^{1/2″}	2″	
BASE FOR 69 X 55	MAB-695507	69 ^{1/8} "	52″	7″	80 lbs.
79 X 49 CABINET WITH 5 DRAWERS INSTALLED	FFS-794918	79 ^{1/8} ″	49″	18″	705 lbs.
Drawer Dimensions		74 ^{23/32} "	45 ^{1/2″}	2″	
BASE FOR 79 X 49	MAB-794907	79 ^{1/8} "	46″	7″	95 lbs.

model FF4



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF4 Cabinet w/4 (3") drawers installed	FF4	55 ^{1/4} "	44 ^{1/2} ″	19 ″	450 lbs.
FF4L Cabinet w/4 (3") locking drawers installed	FF4L	55 ^{1/4} "	44 ^{1/2} "	19 ″	450 lbs.
Drawer Inside Dimensions		50 ^{3/16} "	41 ^{15/16} "	3 ″	
OPTIONS					
Recessed Base	FFRB	55 ^{1/4} "	41 ^{1/2} "	3″	37 lbs.
Dolly Base w/4 Locking Casters	FFDBLC	55 ^{1/4} "	44 ^{1/2} "	6″	110 lbs.

model FF4W



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF4W Cabinet w/4 (3") drawers installed	FF4W	92 ^{1/4} ″	62 ^{1/2} "	19 ″	950 lbs.
FF4WL Cabinet w/4 (3") locking drawers installed	FF4WL	92 ^{1/4} "	62 ^{1/2} "	19 ″	950 lbs.
Drawer Inside Dimensions		87	60 ^{1/8} "	3 ″	
OPTIONS					
Recessed Base	FFWRB	92 ^{1/4} "	59 ^{1/2} "	3″	51 lbs.
Dolly Base w/4 Locking Casters	FFWDBLC	92 ^{1/4} "	62 ^{1/2} "	6″	155 lbs.

model FF6



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF6 Cabinet w/6 (3") drawers installed	FF6	55 ^{1/4} "	44 ^{1/2} "	26 ^{7/16} "	610 lbs.
FF6L Cabinet w/6 (3") locking drawers installed	FF6L	55 ^{1/4} "	44 ^{1/2} "	26 ^{7/16} "	610 lbs.
Drawer Inside Dimensions		50 ^{3/16} "	41 ^{15/16} "	3 ″	
OPTIONS					
Recessed Base	FFRB	55 ^{1/4} ″	41 ^{1/2} "	3″	37 lbs.
Dolly Base w/4 Locking Casters	FFDBLC	55 ^{1/4} ″	44 ^{1/2} "	6″	110 lbs.

Print, Drawing and Photograph Storage



Nitrates-Custom



Product description:

This is a special insulated shelving cabinet designed in accordance with established requirements for the storage of Nitrate film in roll or sheet form. The various models provide the correct clearances for standard can sizes, allowing the gases created from film decomposition to escape. The cabinet construction restricts the transfer of heat should a film reach a level of instability, creating self ignition.

Purpose:

To be used as part of a preservation system, to restrict a fire from spreading to other compartments. The rest of the system compliance requires a fire proof vault, temperature controlled venting and fire suppression. The system only aids in stabilization and can not prevent a fire due to the chemical make up of the film.

Certification:

This shelving has been tested and approved by the government.

Conservation Lab Cabinet-Custom



Bi-fold Door Conservation Lab Cabinet

This cabinet allows for the storage of objects that need to be housed in drawers, shelves or objects that need to be rolled.

Cabinets can be configured to suit any type of collection.

Print, drawing and photograph storage solution to accommodate 3 different size solander boxes.

Fixed angles and pull out shelves for ease of handling. Options include a pull out workshelf.

Art, Historical and Natural Storage Cabinets

Standard Features

- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed cell pure silicone gask mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non-off gassing, \$ non-reactive, solvent free
- Sealed, waterproof top
- Plated hardware
- One 3"x 5" label holder per door

Choose from 8 standard colors: custom colors available

model M10



- One lift-off reinforced door
- Three–point latching system
- EZ Glide* Track System with low-friction high-slip coating, in D-499 Glacier White

Cabinet dimensions shown are exterior.

. Drawer o	dimensi	ions showr	n are in	terior.
------------	---------	------------	----------	---------

DESCRIPTION		PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M10 Cabinet		M10	28 ^{7/8} "	40 ^{1/4} "	39 ^{1/2} "	210 lbs.
M10 Cabinet with vent		M10V	28 ^{7/8} ″	40 ^{1/4} "	39 ^{1/2} "	211 lbs.
OPTIONS						
Removable Sanitary Pa	allet Base	M10RSPB	28 ^{7/8} ″	40 ^{1/4} "	4 ^{1/2} ″	36 lbs.
Dolly Base w/4 Locking	g Casters	M10DBLC	28 ^{7/8} ″	40 ^{1/4} "	6″	92 lbs.
Magnetic Fumigant Po	cket (black)	MFP-040				1 lb.
*EZ Glide 1" high draw	ver, half-width (16 maximum)	MHW2D	23 ^{7/8} ″	36″	1 ^{1/2} ″	15 lbs.
*EZ Glide 2" high draw	ver, half-width (10 maximum)	MHW3D	23 ^{7/8} ″	36″	2 ^{1/2} ″	16 lbs.
*EZ Glide 3" high draw	ver, half-width (8 maximum)	MHW4D	23 ^{7/8} ″	36″	3 ^{1/2} ″	17 lbs.

model M20



- Two lift-off reinforced doors, each door operates and is sealed independently
- Three-point latching system
- Four levelers, adjustable from inside
- EZ Glide* Track System with low-friction high-slip coating, in D-499 Glacier White

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M20 Cabinet w/adjustable vents	M20-V	57″	40 1/4"	39 ^{1/2″}	317 lbs.
M20 Cabinet w/o vents	M20	57″	40 1/4"	39 ^{1/2″}	318 lbs.
OPTIONS					
Removable Sanitary Pallet Base	M20RSPB	57″	40 ^{1/4} "	4 ^{1/2″}	46 lbs.
Dolly Base w/4 Locking Casters	M20DBLC	57″	40 ^{1/4} "	6″	115 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M20EZRCD	1″	37 1/2"	32 ^{3/4} ″	82 lbs.
*EZ Glide 1" high drawer, full-width (16 maximum)	M20FW2D	52″	36″	1 ^{1/2} ″	29 lbs.
*EZ Glide 1" high drawer, half-width (32 maximum)	MHW2D	23 7/8″	36″	1 ^{1/2″}	15 lbs.
*EZ Glide 2" high drawer, full-width (10 maximum)	MF20FW3D	52″	36″	2 ^{1/2″}	31 lbs.
*EZ Glide 2" high drawer, half-width (20 maximum)	MHW3D	23 7/8″	36″	2 ^{1/2″}	16 lbs.
*EZ Glide 3" high drawer, full-width (8 maximum)	M20FW4D	52″	36″	3 ^{1/2″}	33 lbs.
*EZ Glide 3" high drawer, half-width (16 maximum)	MHW4D	23 ^{7/8″}	36″	3 ^{1/2″}	17 lbs.

*Borroughs *EZ Glide* Track System denotes non-ball bearing tray.

model M22

Till-	-		1.	- 4
1112		- 13		1
1111	-			1
981112				

- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- EZ Glide* Track System with low-friction high-slip coating, in D-499 Glacier White

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M22 Cabinet w/adjustable vents	M22-V	49 ^{1/4} "	30 ^{1/2″}	47 ^{3/4″}	251 lbs.
M20 Cabinet w/o vents	M22	49 ^{1/4} "	30 ^{1/2″}	47 ^{3/4″}	250 lbs.
OPTIONS					
Removable Sanitary Pallet Base	M22RSPB	49 ^{1/4} "	30 ^{1/2} "	4 ^{1/2″}	41 lbs.
Dolly Base w/4 Locking Casters	M22DBLC	49 ^{1/4} "	30 ^{1/2} "	6″	85 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M22EZRCD	1″	26 ^{1/4″}	41″	69 lbs.
*EZ Glide 1" high drawer, full-width (20 maximum)	M22FW2D	44 ^{1/4} "	26 ^{1/4} "	1 ^{1/2} "	20 lbs.
*EZ Glide 1" high drawer, half-width (40 maximum)	M22HW2D	21″	26 ^{1/4} "	1 ^{1/2″}	10 lbs.
*EZ Glide 2" high drawer, full-width (13 maximum)	MF22FW3D	44 ^{1/4} "	26 ^{1/4″}	2 ^{1/2″}	22 lbs.
*EZ Glide 2" high drawer, half-width (26 maximum)	M22HW3D	21″	26 ^{1/4″}	2 ^{1/2″}	11 lbs.
*EZ Glide 3" high drawer, full-width (10 maximum)	M22FW4D	44 ^{1/4} "	26 ^{1/4} "	3 ^{1/2″}	24 lbs.
*EZ Glide 3" high drawer, half-width (20 maximum)	M22HW4D	21″	26 ^{1/4} "	3 ^{1/2″}	12 lbs.
*Borroughs EZ Glide Track System denotes non-ball	bearing tray.				

model M30



- Two lift-off reinforced doors
 Three-point latching system
 Four levelers, adjustable from inside
 Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior. Drawer dimensions shown are interior

	Cabinet dimensions shown	are exterior.	Drawer di	mensions	snown are	interior.
DESCRIPTION		PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M30 Cabinet w/solid	metal doors	M30-SD	58″	32″	39 ^{1/2} "	220 lbs.
M30 Cabinet w/solid	metal doors w/vents	M30-SDV	58″	32″	39 ^{1/2} "	221 lbs.
M30 Cabinet w/meta	l frame glass doors	M30-GD	58″	32″	39 ^{1/2} "	270 lbs.
M30 Cabinet w/meta	I frame glass doors w/vents	M30-GDV	58″	32″	39 ^{1/2} "	271 lbs.
OPTIONS						
Removable Sanitary	Pallet Base	MRSPB	58″	32″	4 ^{1/2} ″	45 lbs.
Dolly base w/4 lockin	g casters	MDBLC	58″	32″	6″	100 lbs.
Magnetic Fumigant F	Pocket (black)	MFP-040				1 lb.
Removable Center Di	ivider	M30RCD	1″	30″	32 ^{3/4} ″	36 lbs.
SHELVES – ADJUS	TABLE WITH UNIVERSAL BAYO	DNET MOUNT				
Full-width shelf (400	lbs. capacity)	MFWS400	54 ^{1/2"}	29 ^{1/4"}	1″	40 lbs.
Half-width shelf (400	lbs. capacity)	MHWS400	26 ^{1/2} "	29 ^{1/4} "	1″	22 lbs.
Full-width, heavy dut	y shelf (1000 lbs. capacity)	MFWS1000	54 ^{1/2"}	29 ^{1/4} "	1″	49 lbs.
SHELVES - FULL E	XTENSION+					
Full-width shelf (100	lbs. capacity)	MFWS100	51 ^{5/8″}	28 ^{1/4} "	3/4″	50 lbs.
Half-width shelf (100	lbs. capacity)	MHWS100	23 ^{3/4″}	28 ^{1/4} "	3/4″	38 lbs.
Full-width shelf (250	lbs. capacity)	MFWS250	51 ^{1/4"}	28 ^{1/4} "	3/4″	66 lbs.
Half-width shelf (250	lbs. capacity)	MHWS250	23 ^{3/8″}	28 ^{1/4} "	3/4″	50 lbs.
Full-width shelf (500	lbs. capacity)	MFWS500	51 ^{1/4"}	28 ^{1/4} "	3/4″	66 lbs.
Half-width shelf (500	lbs. capacity)	MHWS500	23 ^{3/8″}	28 ^{1/4} "	3/4″	50 lbs.
DRAWERS (INCLUE	DING MOUNTS)	DRAWER - 100 LBS	. CAPACIT	Y		
1 ^{3/4"} high drawer, full-	width (16 maximum)	M2FWD100	51 ^{1/2"}	27 ^{9/16"}	1 ^{3/8″}	44 lbs.
1 ^{3/4"} high drawer, hal	f-width (32 maximum)	M2HWD100	23 ^{3/8″}	27 ^{9/16"}	1 ^{3/8″}	34 lbs.
2 ^{3/4"} high drawer, full	-width (10 maximum)	M3FWD100	51 ^{1/2"}	27 ^{9/16"}	2 ^{3/8″}	47 lbs.
2 ^{3/4"} high drawer, hal	f-width (20 maximum)	M3HWD100	23 ^{3/8″}	27 ^{9/16"}	2 ^{3/8″}	37 lbs.
3 ^{3/4"} high drawer, full	-width (8 maximum)	M4FWD100	51 ^{1/2"}	27 ^{9/16"}	3 ^{3/8″}	48 lbs.
3 ^{3/4"} high drawer, hal	f-width (16 maximum)	M4HWD100	23 ^{3/8″}	27 ^{9/16"}	3 ^{3/8″}	38 lbs.
4 ^{3/4"} high drawer, full	-width (6 maximum)	M5FWD100	51 ^{1/2"}	27 ^{9/16"}	4 ^{3/8″}	51 lbs.
4 ^{3/4"} high drawer, hal	f-width (12 maximum)	M5HWD100	23 ^{3/8″}	27 ^{9/16"}	4 ^{3/8″}	41 lbs.
6 ^{3/4"} high drawer, full	-width (4 maximum)	M7FWD100	51 ^{1/2"}	27 ^{9/16"}	6 ^{3/8″}	55 lbs.
6 ^{3/4"} high drawer, hal	f-width (8 maximum)	M7HWD100	23 ^{3/8″}	27 9/16"	6 ^{3/8} "	45 lbs.
8 ^{3/4"} high drawer, full	-width (3 maximum)	M9FWD100	51 ^{1/2"}	27 ^{9/16"}	8 ^{3/8″}	61 lbs.
8 ^{3/4"} high drawer, hal	f-width (6 maximum)	M9HWD100	23 ^{3/8″}	27 9/16"	8 3/8″	51 lbs.
Rolled textile, open b	ottom drawer w/mounts	MROTEXT	49 ^{7/8″}	27″	4 ^{3/4} "	57 lbs.

Drawers include full–extension, full suspension ball–bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools

DRAWERS (INCLUDING MOUNTS)	DRAWER - 250 I	.BS. CAPA	СІТҮ		
3 ^{3/4"} high drawer, full-width (8 maximum)	M4FWD250	51″	27 ^{9/16"}	3 ^{3/8″}	63 lbs.
3 ^{3/4"} high drawer, half-width (16 maximum)	M4HWD250	22 ^{7/8″}	27 ^{9/16"}	3 ^{3/8″}	53 lbs.
4 ^{3/4"} high drawer, full-width (6 maximum)	M5FWD250	51″	27 ^{9/16"}	4 ^{3/8″}	66 lbs.
4 ^{3/4"} high drawer, half-width (12 maximum)	M5HWD250	22 ^{7/8″}	27 ^{9/16"}	4 ^{3/8″}	56 lbs.
6 ^{3/4"} high drawer, full-width (4 maximum)	M7FWD250	51″	27 ^{9/16"}	6 ^{3/8″}	70 lbs.
6 ^{3/4"} high drawer, half-width (8 maximum)	M7HWD250	22 ^{7/8″}	27 ^{9/16"}	6 ^{3/8″}	60 lbs.
8 ^{3/4"} high drawer, full-width (3 maximum)	M9FWD250	51″	27 ^{9/16"}	8 ^{3/8″}	76 lbs.
8 ^{3/4"} high drawer, half-width (6 maximum)	M9HWD250	22 ^{7/8} ″	27 ^{9/16"}	8 ^{3/8″}	66 lbs.
DRAWERS (INCLUDING MOUNTS)	DRAWER - 500 I	BS. CAPA	CITY		
3 ^{3/4"} high drawer, full-width (8 maximum)	M4FWD500	51″	27 ^{9/16"}	3 ^{3/8″}	63 lbs.
3 ^{3/4"} high drawer, half-width (16 maximum)	M4HWD500	22 ^{7/8″}	27 ^{9/16"}	3 ^{3/8″}	53 lbs.
4 ^{3/4"} high drawer, full-width (6 maximum)	M5FWD500	51″	27 ^{9/16"}	4 ^{3/8} ″	66 lbs.
4 ^{3/4"} high drawer, half-width (12 maximum)	M5HWD500	22 ^{7/8} ″	27 ^{9/16"}	4 ^{3/8″}	56 lbs.
6 ^{3/4"} high drawer, full-width (4 maximum)	M7FWD500	51″	27 ^{9/16"}	6 ^{3/8″}	70 lbs.
6 ^{3/4"} high drawer, half-width (8 maximum)	M7HWD500	22 ^{7/8} ″	27 ^{9/16"}	6 ^{3/8″}	60 lbs.
8 ^{3/4"} high drawer, full-width (3 maximum)	M9FWD500	51″	27 ^{9/16"}	8 3/8″	76 lbs.
8 ^{3/4"} high drawer, half-width (6 maximum)	M9HWD500	22 ^{7/8} ″	27 ^{9/16"}	8 ^{3/8″}	66 lbs.
OPTIONS					
<i>EZ Glide</i> full-height, fixed-runner panel system, with protective drawer bumpers	MEZRUNHH	5/8″	30″	31 ^{7/8} "	55 lbs.
*EZ GLIDE DRAWERS					
Removable center divider	M30EZRCD	1″	29 ^{1/2} "	31 ^{3/4″}	60 lbs.
1 ^{3/4"} high drawer, full-width (16 maximum)	MEZ2FW	53″	27 ^{3/4} "	1 ^{1/2″}	25 lbs.
1 ^{3/4"} high drawer, half-width (32 maximum)	MEZ2HW	24 ^{3/8″}	27 ^{3/4″}	1 ^{1/2″}	15 lbs.
2 ^{3/4"} high drawer, full-width (10 maximum)	MEZ3FW	53″	27 ^{3/4} "	2 ^{1/2} "	26 lbs.
2 ^{3/4"} high drawer, half-width (20 maximum)	MEZ3HW	24 ^{3/8″}	27 ^{3/4} "	2 ^{1/2} "	16 lbs.
3 ^{3/4"} high drawer, full-width (8 maximum)	MEZ4FW	53″	27 ^{3/4″}	3 ^{1/2} "	28 lbs.
3 ^{3/4"} high drawer, half-width (16 maximum)	MEZ4HW	24 ^{3/8″}	27 ^{3/4"}	3 ^{1/2″}	17 lbs.
OPTIONS					
ADDITIONAL ITEMS					
Textile Tubes	M60TEXTUB	49 ^{7/8} "	1″	1″	2.5 lbs.
Full-width Reference Shelf	MFWREFSH	54″	29 ^{1/4} "	2″	40 lbs.
Half-width Reference Shelf	MHWREFSH	26 ^{1/8"}	29 ^{1/4} "	2″	25 lbs.

Drawer tracks are lined with a low-friction, high-slip coating, in D-499 Glacier White.

*Borroughs *EZ Glide* Track System denotes non-ball bearing tray.

model M40



- One lift-off reinforced door
 Three-point latching system
 Four levelers, adjustable from inside
 Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior. Drawer dimensions shown are interior.

Cabinet annensions show					
DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M40 Cabinet w/solid metal doors	M40-SD	29″	32″	84″	260 lbs.
M40 Cabinet w/solid metal doors w/vents	M40-SDV	29″	32″	84″	261 lbs.
M40 Cabinet w/metal frame glass doors	M40-GD	29″	32″	84″	290 lbs.
M40 Cabinet w/metal frame glass doors w/vents	M40-GDV	29″	32″	84″	291 lbs.
OPTIONS					
Removable Sanitary Pallet Base	M40RSPB	29″	32″	4 ^{1/2″}	40 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1lb.
SHELVES – ADJUSTABLE WITH UNIVERSAL BA	YONET MOUNT				
Full-width shelf (400 lbs. capacity)	M40FWS400	25 ^{1/4″}	29 ^{1/4"}	1″	22 lbs.
Full-width, heavy-duty shelf (1000 lbs. capacity)	M40FWS1000	25 ^{1/4″}	29 ^{1/4"}	1″	28 lbs.
SHELVES – FULL EXTENSION +					
Full-width shelf (100 lbs. capacity)	M40FWS100	22 ^{5/8″}	28 ^{1/4} "	3/4″	38 lbs.
Full-width shelf (250 lbs. capacity)	M40FWS250	22 ^{1/4″}	28 ^{1/4} "	3/4″	50 lbs.
Full-width shelf (500 lbs. capacity)	M40FWS500	22 ^{1/4″}	28 ^{1/4} "	3/4″	50 lbs.
DRAWERS (INCLUDING MOUNTS)	DRAWER - 100 LBS. CA	PACITY			
1 ^{3/4"} high drawer, full-width (38 maximum)	M402FWD100	22 ^{1/4″}	27 ^{9/16"}	1 ^{3/8″}	34 lbs.
2 ^{3/4"} high drawer, full-width (25 maximum)	M403FWD100	22 ^{1/4} "	27 ^{9/16"}	2 ^{3/8″}	37 lbs.
3 ^{3/4"} high drawer, full-width (19 maximum)	M404FWD100	22 ^{1/4″}	27 ^{9/16"}	3 ^{3/8″}	38 lbs.
4 ^{3/4"} high drawer, full-width (15 maximum)	M405FWD100	22 ^{1/4} "	27 ^{9/16"}	4 ^{3/8″}	41 lbs.
6 ^{3/4"} high drawer, full-width (11 maximum)	M407FWD100	22 ^{1/4} "	27 ^{9/16"}	6 ^{3/8″}	45 lbs.
8 ^{3/4"} high drawer, full-width (8 maximum)	M409FWD100	22 ^{1/4} "	27 ^{9/16"}	8 ^{3/8″}	51 lbs.
DRAWERS (INCLUDING MOUNTS)	DRAWER - 250 LBS. CA	PACITY			
3 ^{3/4"} high drawer, full-width (19 maximum)	M404FWD250	21 ^{3/4} ″	27 ^{9/16"}	3 ^{3/8″}	53 lbs.
4 ^{3/4"} high drawer, full-width (15 maximum)	M405FWD250	21 ^{3/4″}	27 ^{9/16"}	4 ^{3/8″}	56 lbs.
6 ^{3/4"} high drawer, full-width (11 maximum)	M407FWD250	21 ^{3/4″}	27 ^{9/16"}	6 ^{3/8″}	60 lbs.
8 ^{3/4"} high drawer, full-width (8 maximum)	M409FWD250	21 ^{3/4″}	27 ^{9/16"}	8 ^{3/8″}	66 lbs.
ADDITIONAL ITEMS					
Art Frame Assembly, vertical, full-height	ARTFRA	1 ^{1/2″}	29″	70″	60 lbs.
Full-width Reference Shelf	MFWREFSH	54″	29 ^{1/4} "	2″	25 lbs.
Full-width Reference Shelf	MFWREFSH	54″	29 ^{1/4} "	2″	25 lbs.

+ Overall height of shelf including track is 3/4"

Drawers include full–extension, full suspension ball–bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT				
DRAWERS (INCLUDING MOUNTS) DRAWER - 500 LBS. CAPACITY									
3 ^{3/4"} high drawer, full-width (19 maximum)	M404FWD500	21 ^{3/4″}	27 ^{9/16"}	3 ^{3/8″}	53 lbs.				
4 ^{3/4"} high drawer, full-width (15 maximum)	M405FWD500	21 ^{3/4″}	27 ^{9/16"}	4 ^{3/8″}	56 lbs.				
6 ^{3/4"} high drawer, full-width (11 maximum)	M407FWD500	21 ^{3/4″}	27 ^{9/16"}	6 ^{3/8″}	60 lbs.				
8 ^{3/4"} high drawer, full-width (8 maximum)	M409FWD500	21 ^{3/4″}	27 ^{9/16"}	8 ^{3/8″}	66 lbs.				

OPTIONS					
EZ Glide full-height fixed runner panel system,	MEZRUNFH	5/8″	30″	76 ^{3/8″}	110 lbs.
with protective drawer bumpers					
*EZ GLIDE DRAWERS					
1 ^{3/4"} high drawer, full-width (38 maximum)	M40EZ2FW	24″	27 ^{3/4} "	1 ^{1/2″}	14 lbs.
2 ^{3/4"} high drawer, full-width (25 maximum)	M40EZ3FW	24″	27 ^{3/4} "	2 ^{1/2″}	15 lbs.
3 ^{3/4″} high drawer, full-width (19 maximum)	M40EZ4FW	24″	27 ^{3/4} "	3 ^{1/2} ″	16 lbs.

*Borroughs *EZ Glide* Track System denotes non-ball bearing tray.

Options with *EZ Glide Track System

Drawer tracks are lined with a low friction, high-slip coating, in D-499 Glacier White.

model M60



- Two lift-off reinforced doors
 Three-point latching system
 Four levelers, adjustable from inside
 Slotted uprights with 1" spacing

	Cabinet dimensions sho	wn are exterior.	Drawer dimens	ions shown are interior.
--	------------------------	------------------	---------------	--------------------------

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT	
M60 Cabinet w/solid metal doors	M60-SD	58″	32″	84″	325 lbs.	
M60 Cabinet w/solid metal doors w/vents	M60-SDV	58″	32″	84″	326 lbs.	
M60 Cabinet w/metal frame glass doors	M60-GD	58″	32″	84″	375 lbs.	
M60 Cabinet w/metal frame glass doors w/vents	M60-GDV	58″	32″	84″	376 lbs.	
OPTIONS						
Removable Sanitary Pallet Base	MRSPB	58″	32″	4 ^{1/2} "	45 lbs.	
Dolly Base w/4 Locking Casters	MDBLC	58″	32″	6″	100 lbs.	
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.	
Removable Center Divider, full-height	M60RCD	1″	30″	77 ^{1/4″}	80 lbs.	
Removable Center Divider, half-height	MHHRCD	1″	30″	38 ^{5/8″}	40 lbs.	
SHELVES – ADJUSTABLE WITH UNIVERSAL BAY	ONET MOUNT					
Full-width shelf (400 lbs. capacity)	MFWS400	54 ^{1/2"}	29 ^{1/4"}	1″	40 lbs.	
Half-width shelf (400 lbs. capacity)	MHWS400	26 ^{1/2"}	29 ^{1/4"}	1″	22 lbs.	
Full-width, heavy-duty shelf (1000 lbs. capacity)	MFWS1000	54 ^{1/2"}	29 ^{1/4"}	1″	49 lbs.	
SHELVES - FULL EXTENSION +						
Full-width shelf (100 lbs. capacity)	MFWS100	51 ^{5/8″}	28 ^{1/4″}	3/4″	50 lbs.	
Half-width shelf (100 lbs. capacity)	MHWS100	23 ^{3/4″}	28 ^{1/4"}	3/4″	38 lbs.	
Full-width shelf (250 lbs. capacity)	MFWS250	51 ^{1/4″}	28 ^{1/4} "	3/4″	66 lbs.	
Half-width shelf (250 lbs. capacity)	MHWS250	23 ^{3/8″}	28 ^{1/4"}	3/4″	50 lbs.	
Full-width shelf (500 lbs. capacity)	MFWS500	51 ^{1/4″}	28 ^{1/4"}	3/4″	66 lbs.	
Half-width shelf (500 lbs. capacity)	MHWS500	23 ^{3/8″}	28 ^{1/4} "	3/4"	50 lbs.	
Weapons storage insert	M60WEAP	53″	18″	68″	94 lbs.	
DRAWERS (INCLUDING MOUNTS)	DRAWER - 100 L	.BS. CAPA	СІТҮ			
1 ^{3/4"} high drawer, full-width (38 maximum)	M2FWD100	51 ^{1/2"}	27 ^{9/16"}	1 ^{3/8″}	44 lbs.	
1 ^{3/4"} high drawer, half-width (76 maximum)	M2HWD100	23 ^{3/8″}	27 ^{9/16″}	1 ^{3/8″}	34 lbs.	
2 ^{3/4"} high drawer, full-width (25 maximum)	M3FWD100	51 ^{1/2"}	27 ^{9/16″}	2 ^{3/8″}	47 lbs.	
2 ^{3/4"} high drawer, half-width (50 maximum)	M3HWD100	23 ^{3/8″}	27 ^{9/16″}	2 ^{3/8″}	37 lbs.	
3 ^{3/4"} high drawer, full-width (19 maximum)	M4FWD100	51 ^{1/2"}	27 ^{9/16"}	3 ^{3/8″}	48 lbs.	
3 ^{3/4°} high drawer, half-width (38 maximum)	M4HWD100	23 ^{3/8″}	27 ^{9/16″}	3 ^{3/8″}	38 lbs.	
4 ^{3/4"} high drawer, full-width (15 maximum)	M5FWD100	51 ^{1/2"}	27 ^{9/16″}	4 ^{3/8} "	51 lbs.	
4 ^{3/4"} high drawer, half-width (30 maximum)	M5HWD100	23 ^{3/8″}	27 ^{9/16″}	4 ^{3/8} "	41 lbs.	
6 ^{3/4"} high drawer, full-width (11 maximum)	M7FWD100	51 ^{1/2"}	27 ^{9/16″}	6 ^{3/8} "	55 lbs.	
6 ^{3/4"} high drawer, half-width (22 maximum)	M7HWD100	23 ^{3/8″}	27 ^{9/16"}	6 ^{3/8″}	45 lbs.	

Drawers include full-extension, full suspension ball-bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools. 38

+ Overall height of shelf including track is 3/4"

	M9FWD100		51 ^{1/2"}	27 ^{9/16″}	8 ^{3/8″}	61 lbs.
8 ^{3/4″} high drawer, half-width (16 maximum)			23 ^{3/8″}	27 ^{9/16″}	8 ^{3/8″}	51 lbs.
m)	MROTEXT		49 ^{7/8} "	27″	4 ^{3/4} "	57 lbs.
	M60TEXTUB		49 ^{7/8} "	1″	1″	2.5 lbs.
	ARTFRA		1 ^{1/2} "	29″	70″	60 lbs.
	MFWREFSH		54″	29 ^{1/4″}	2″	40 lbs.
	MHWREFSH		26 ^{1/8"}	29 ^{1/4} "	2″	25 lbs.
DRAWERS (INCLUDING MOUNTS) DRAWER - 250 LBS			CAPACIT	Y		
	M4FWD250		51″	27 ^{9/16"}	3 ^{3/8″}	63 lbs.
	M4HWD250		22 ^{7/8″}	27 ^{9/16"}	3 ^{3/8″}	53 lbs.
	M5FWD250		51″	27 ^{9/16"}	4 ^{3/8″}	66 lbs.
	M5HWD250		22 ^{7/8″}	27 ^{9/16"}	4 ^{3/8″}	56 lbs.
	M7FWD250		51″	27 ^{9/16"}	6 ^{3/8″}	70 lbs.
	M7HWD250		22 ^{7/8″}	27 ^{9/16"}	6 ^{3/8″}	60 lbs.
	M9FWD250		51″	27 ^{9/16"}	8 3/8″	76 lbs.
	M9HWD250		22 ^{7/8″}	27 ^{9/16"}	8 3/8″	66 lbs.
	DRAWER - 500 L	LBS.	САРАСІТ	Y		
	M4FWD500		51″	27 ^{9/16"}	3 ^{3/8″}	63 lbs.
	M4HWD500		22 ^{7/8″}	27 ^{9/16"}	3 ^{3/8″}	53 lbs.
	M5FWD500		51″	27 ^{9/16"}	4 ^{3/8″}	66 lbs.
	M5HWD500		22 ^{7/8″}	27 ^{9/16"}	4 ^{3/8″}	56 lbs.
	M7FWD500		51″	27 ^{9/16"}	6 ^{3/8″}	70 lbs.
	M7HWD500		22 ^{7/8″}	27 ^{9/16"}	6 ^{3/8″}	60 lbs.
	M9FWD500		51″	27 ^{9/16"}	8 ^{3/8″}	76 lbs.
	M9HWD500		22 ^{7/8″}	27 9/16"	8 ^{3/8″}	66 lbs.
	m)	M9HWD100 m) MROTEXT MROTEXTUB ARTFRA ARTFRA MFWREFSH MHWREFSH MHWREFSH DRAWER - 250 M4FWD250 M5FWD250 M5FWD250 M7FWD250 M7FWD250 M9FWD250 M9FWD250 M9FWD250 M9FWD250 M9FWD250 M9FWD250 M9FWD250 M9FWD250 M7FWD250 M9FWD250 M9FWD250 M9FWD250 M7FWD250 M9FWD250 M4FWD500 M5FWD500 M5FWD500 M9FWD500 M7FWD500 M7FWD500 M7FWD500 M7FWD500	M9HWD100 MROTEXT MROTEXTUB ARTFRA ARTFRA MFWREFSH MHWREFSH MHWREFSH M4FWD250 M4FWD250 M5FWD250 M5FWD250 M7FWD250 M7FWD250 M9FWD250 M9FWD250 M7HWD250 M9FWD250 M9FWD250 M9FWD250 M3FWD250 M7HWD250 M7FWD250 M3FWD250 M9FWD250 M7HWD500 M4FWD500 M3FWD500 M3FWD500 M3FWD500 M3FWD500 M3FWD500	M9HWD100 23 ³/8" MROTEXT 49 7/8" MROTEXTUB 49 7/8" M60TEXTUB 49 7/8" ARTFRA 1 1/2" MFWREFSH 54" MHWREFSH 26 1/8" DRAWER - 250 LBS. CAPACIT M4FWD250 51" M4FWD250 51" M5FWD250 51" M5FWD250 51" M5FWD250 51" M7FWD250 51" M7FWD250 51" M7HWD250 22 7/8" M9FWD250 51" M5FWD250 51" M7HWD250 22 7/8" M9FWD250 51" M4FWD500 51" M5FWD500 51" M5FWD500 51" M7FWD500 51" M7FWD500	M9HWD100 23 3/8" 27 9/16" m) MROTEXT 49 7/8" 27" M60TEXTUB 49 7/8" 27" M60TEXTUB 49 7/8" 1" ARTFRA 1 1/2" 29" MFWREFSH 54" 29 1/4" MHWREFSH 26 1/8" 29 1/4" MHWREFSH 26 1/8" 29 1/4" MAFWD250 51" 27 9/16" M4FWD250 51" 27 9/16" M5FWD250 51" 27 9/16" M5FWD250 51" 27 9/16" M7FWD250 51" 27 9/16" M7FWD250 51" 27 9/16" M9FWD250 51" 27 9/16" M9FWD250 51" 27 9/16" M4FWD500 51" 27 9/16" M4FWD500 51" 27 9/16" M4FWD500 51" 27 9/16" M4FWD500 22 7/8" 27 9/16" M4FWD500 51" 27 9/16" M5FWD500 51" 27 9/16"	M9HWD100 23 38" 27 9/16" 8 38" m) MROTEXT 49 78" 27" 4 3/4" M60TEXTUB 49 78" 1" 1" 4 3/4" M60TEXTUB 49 78" 1" 1" 1" ARTFRA 1 112" 29" 70" MFWREFSH 54" 29 14" 2" MHWREFSH 26 18" 29 14" 2" DRAWER - 250 LBS. CAPACITY M4FWD250 51" 27 9/16" 3 38" M4FWD250 51" 27 9/16" 3 38" 38" M5FWD250 51" 27 9/16" 3 38" M5FWD250 51" 27 9/16" 4 38" M5FWD250 51" 27 9/16" 6 38" M7FWD250 51" 27 9/16" 6 38" M7HWD250 22 7/8" 27 9/16" 8 38" M7HWD250 22 7/8" 27 9/16" 8 38" M9FWD250 51" 27 9/16" 8 38" M9FWD500 51" 27 9/16"

Options with *EZ Glide Track System Drawer tracks are lined with a low friction, high-slip coating, in D–499 Glacier White.

<i>EZ Glide</i> full-height, fixed-runner panel system, with protective drawer bumpers	M60EZRUNFH	5/8″	30″	76 ^{3/8″}	110 lbs.
<i>EZ Glide</i> half-height, fixed-runner panel system, with protective drawer bumpers	MEZRUNHH	5/8″	30″	31 ^{7/8″}	55 lbs.
*EZ GLIDE DRAWERS					
Removable center divider, full-height	M60EZRCD	1″	29″	76 ^{1/4″}	120 lbs.
Removable center divider, half-height	M60HHEZRCD	1″	29″	38″	60 lbs.
1 ^{3/4"} high drawer, full-width (38 maximum)	MEZ2FW	53″	27 ^{3/4} "	1 ^{1/2″}	25 lbs.
1 ^{3/4"} high drawer, half-width (76 maximum)	MEZ2HW	24 ^{3/8″}	27 ^{3/4} "	1 ^{1/2″}	15 lbs.
2 ^{3/4"} high drawer, full-width (25 maximum)	MEZ3FW	53″	27 ^{3/4} "	2 ^{1/2} "	26 lbs.
2 ^{3/4"} high drawer, half-width (50 maximum)	MEZ3HW	24 ^{3/8"}	27 ^{3/4"}	2 ^{1/2} "	16 lbs.
3 ^{3/4"} high drawer, full-width (19 maximum)	MEZ4FW	53″	27 ^{3/4} "	3 ^{1/2″}	28 lbs.
3 ^{3/4"} high drawer, half-width (38 maximum)	MEZ4HW	24 ^{3/8″}	27 ^{3/4} "	3 ^{1/2″}	17 lbs.
					39

model M62



- Two lift-off reinforced doors
- Three–point latching system Four levelers, adjustable from inside Slotted uprights with 1" spacing

	Cabinet dimensions show	Drawer dimensions shown are interior.				
DESCRIPTION		PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M62 Cabinet w/solid me	etal doors	M62-SD	96″	32″	79″	470 lbs.
M62 Cabinet w/solid me	etal doors w/vents	M62-SDV	96″	32″	79″	500 lbs.
M62 Cabinet w/metal fra	ame glass doors	M62-GD	96″	32″	79″	600 lbs.
M62 Cabinet w/metal fra	ame glass doors w/vents	M62-GDV	96″	32″	79″	620 lbs.
OPTIONS						
Removable Sanitary Pall	et Base	M62RSPB	96″	32″	4 ^{1/2″}	65 lbs.
Dolly Base w/4 locking ca	asters	M62DBLC	96″	32″	6″	125 lbs.
Magnetic Fumigant Pock	et (black)	MFP-040				1 lb.
Rolled Textile, open botte	om drawer w/mounts	M62ROTEXT	87 ^{7/8″}	27″	4 ^{3/4″}	67 lbs.
Textile Tubes		M62TEXTUB	87 ^{7/8″}	1″	1″	5 lbs.
Art Frame Assembly, full	l-height, vertical	ARTFRA	1 ^{1/2″}	29″	70″	60 lbs.
SHELVES						
Full-width adjustable she	elf – bayonet mount	M62FWSH	92 ^{1/2"}	29 ^{1/4"}	1″	65 lbs.
Full extension, full-width	shelf (250 lbs. capacity)+	M62FWS250	89 ^{1/4"}	28 ^{1/4"}	3/4″	75 lbs.
Full extension, full-width	shelf (500 lbs. capacity)+	M62FWS500	89 ^{1/4"}	28 ^{1/4"}	3/4″	80 lbs.
DRAWERS (INCLUDIN	G MOUNTS)	RAWER - 250 LBS. C	ΑΡΑСΙΤΥ			
3 ^{3/4"} high drawer, full-wie	dth (18 maximum)	M624FWD250	89″	27 ^{9/16"}	3 ^{3/8″}	80 lbs.
4 ^{3/4"} high drawer, full-wie	dth (14 maximum)	M625FWD250	89″	27 ^{9/16"}	4 ^{3/8″}	83 lbs.
6 ^{3/4"} high drawer, full-wie	dth (10 maximum)	M627FWD250	89″	27 ^{9/16"}	6 ^{3/8″}	88 lbs.
8 ^{3/4"} high drawer, full-wie	dth (8 maximum)	M629FWD250	89″	27 ^{9/16"}	8 ^{3/8″}	95 lbs.
DRAWERS (INCLUDIN	G MOUNTS)	RAWER - 500 LBS. C	ΑΡΑСΙΤΥ			
3 ^{3/4"} high drawer, full-wie	dth (18 maximum)	M624FWD500	89″	27 ^{9/16"}	3 ^{3/8″}	80 lbs.
4 ^{3/4"} high drawer, full-wie	dth (14 maximum)	M625FWD500	89″	27 ^{9/16"}	4 ^{3/8″}	83 lbs.
6 ^{3/4"} high drawer, full-wi	dth (10 maximum)	M627FWD500	89″	27 ^{9/16"}	6 ^{3/8″}	88 lbs.
8 ^{3/4"} high drawer, full-wi	dth (8 maximum)	M629FWD500	89″	27 ^{9/16"}	8 ^{3/8} ″	95 lbs.

+ Overall height of shelf including track is 3/4"

Drawers include full-extension, full suspension ball-bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

model M64



- Two lift-off reinforced doors
- Three–point latching system
- Four levelers, adjustable from inside
- Protective drawer bumper stop

	Cabinet dimensions shown are exterior.		Drawer dimensions shown are interior.					
DESCRIPTION		PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT		
M64 Cabinet w/solid	metal doors	M64-SD	39 ^{1/2} "	16 ^{5/8″}	84″	266 lbs.		
M64 Cabinet w/solid	metal doors w/vents	M64-SDV	39 ^{1/2} "	16 ^{5/8″}	84″	267 lbs.		
M64 Cabinet w/meta	l frame glass doors	M64-GD	39 ^{1/2} "	16 ^{5/8″}	84″	295 lbs.		
M64 Cabinet w/meta	I frame glass doors w/vents	M64-GDV	39 ^{1/2} "	16 ^{5/8″}	84″	296 lbs.		
OPTIONS								
Removable Sanitary	Pallet Base	M64RSPB	39 ^{1/2} "	16 ^{5/8″}	4 ^{1/2} ″	30 lbs.		
Magnetic Fumigant P	ocket (black)	MFP-040				1 lb.		
SHELVES								
Full-width adjustable (400 lbs. capacity)	shelf-bayonet mount	M64FWS400	36″	13 ^{7/8″}	1″	20 lbs.		
Full extension, full-wi	idth shelf (100 lbs. capacity)+	M64FWS100	33 ^{1/8″}	12 ^{7/8"}	3/4″	35 lbs.		
Full extension, full-wi	idth shelf (250 lbs. capacity)+	M64FWS250	32 ^{3/4″}	12 ^{7/8″}	3/4″	45 lbs.		
DRAWERS (INCLUDING MOUNTS) DRAWER - 100 LBS. CAPACITY								
1 ^{3/4"} high drawer, full	-width (38 maximum)	M642FWD100	33″	12 ^{3/16"}	1 ^{3/8″}	32 lbs.		
3 ^{3/4"} high drawer, full	-width (19 maximum)	M644FWD100	33″	12 ^{3/16"}	3 ^{3/8″}	36 lbs.		

+ Overall height of shelf including track is 3/4"

Drawers include full-extension, full suspension ball-bearing slides, slides attach to cabinet with bayonet mounts, adjust vertically without tools

Notes:

While we have attempted to keep all dimensions and specifications as accurate as possible, we disclaim any implied warranty or representation about their accuracy, completeness, or appropriateness for a particular purpose. Product specifications may be subject to change at any time. Please consult your Borroughs representative or Customer Service for additional information.



Our People Make The Difference

Borroughs Standard Powder Coat Colors

Borroughs powder coat finishes are high quality, durable and inert. Borroughs offers 8 standard colors. We also offer custom color matching, using Borroughs computerized technology.



The colors depicted on this publication have been reproduced using a printing process and are only provided as a guide. The actual painted product may vary. All colors are not available on all products. Please contact your Borroughs Dealer for details.



All products shown are available under GSA Federal Supply Schedule. *Effective Through 6/8/10.



3002 N. BURDICKSTREET = KALAMAZOO, MI 49004-3483 800-748-0227 = FAX:269-342-4161 www.borroughs.com

ISO 9001:2000 Registered



FSC Mixed Sources Product group from well-managed forests, controlled sources and recycled wood or fibre www.iscorg Cert.no.3W.c0c.1530 o: 1996 Forest Stewardship Council